## University of Saskatchewan User Rate Schedule 2023/2026

\*\*NOTE: The light level specifications are for a new chamber.

Light level will vary with temperature and measured 6" from the lights.

Humidity: accuracy @ 20°C is ± 2% between 0% to 90% RH accuracy @ 20°C is ±3% between 90% to 100% RH

Accuracy will be reduced by ±.04% RH per degree when temperature

moves from 20°C

**Daily Rates** 

		2023/2024	2024/2025	2025/2026
Model E8H	2-62			
Height 48 Inches	2-64			
Lighting Fluorescent 50,000 lux	2-65	\$6.31	\$6.63	\$6.96
RH 85% Lights on	2-66			
95% Lights off to 30°C	2-67			
Control ± 3%				
<b>Temp</b> 4 to 45°C Lights off				
10 to 45°C Lights on				
Control ± 0.5°C				
Area 8ft²				
Height 72 inches	2.54			1
_	2-51 2-52	\$6.31	\$6.63	\$6.96
Temp 0 to 45°C Lights off		<b>ФО.</b> Э I	\$6.63	\$6.96
5 to 45°C Lights on	2-69			
Control ± 0.5°C	2-70			
	2-80			

Model PGR15	2-01				
Height 58 Inches	2-02				
Lighting Fluorescent 84,000 lux	2-03		\$10.11	\$10.62	\$11.15
RH 85% Lights on	2-04				
95% Lights off to 30°C	2-05				
Control ± 3%	2-06				
	2-07				
Temp 4 to 45°C Lights off	2-08				
10 to 45°C Lights on	2-10				
Control ± 0.5°C	2-25				
Area 15ft <sup>2</sup>					
Temp 0 to 45°C Lights off	2-09	2-14			
5 to 45°C Lights on	2-09 2-11	2-14 2-15	\$10.11	\$10.62	\$11.15
Control ± 0.5°C	2-11	2-13 2-16	φ10.11	\$10.02	φ11.13
Control ± 0.5 C	2-12	2-10			
	2-13				
Height 72 Inches	2-26				
Lighting Metal Halide/High Pressure Sodium 100,000 lux	2-27		\$10.11	\$10.62	\$11.15
	2-28				
Height 72 Inches	2-17				
<b>Temp</b> 0 to 45°C Lights off	2-18		\$10.11	\$10.62	\$11.15
5 to 45°C Lights on	2-19				
Control ± 0.5°C	2-20				
	2-21				
	2-22				
	2-23				
	2-24				

Model PGW36	2-40			
Height 80 Inches	2-41			
Lighting Fluorescent 81,500 lux	2-42	\$18.90	\$19.85	\$20.84
RH 85% Lights on		<b>V.10.00</b>	<b>V</b> 10.00	Ψ_0.0.
95% Lights off to 30°C				
Control ± 3%				
CONTROL 2 370				
Temp 4 to 45°C Lights off				
10 to 45°C Lights on				
Control ± 0.5°C				
Control 2 0.0 C				
Area 36ft <sup>2</sup>				
Dadia isatana	2.04			
Radio-isotope	2-81 2-82	\$18.90	\$19.85	\$20.84
		\$10.90	\$19.65	<b>\$</b> ∠0.64
	2-83			
	2-84			
Temp 0 to 45°C Lights off	2-63	<u></u>	<b></b>	<b>A</b> cc = -
5 to 45°C Lights on	2-68	\$18.90	\$19.85	\$20.84
Control ±0.5°C	2-73			
Height 96 Inches	2-74			
Temp 0 to 45°C Lights off	2-75	\$18.90	\$19.85	\$20.84
5 to 45°C Lights on	2-78	******	<b>,</b> , , , , ,	<b>V</b>
Control ± 0.5°C	2.0			
30.11.61 2 0.10 0				
Height 96 Inches	2-79			
<b>Lighting</b> Metal Halide/High Pressure Sodium 112,500 lux	2-19	\$22.68	\$23.81	\$25.00
Lighting Wetar Hallde/Hight Fressure Souldin 112,500 ldx		<b>\$22.00</b>	φ <b>2</b> 3.01	<b>\$23.00</b>
Height 96 Inches	2-72			
Temp -10 to 45°C Lights off	2-76	\$22.68	\$23.81	\$25.00
-5 to 45°C Lights on	2-77	,	1	
Control ± 0.5°C				
2 3 2 2				
Dual Evaporator				
(lights and fans remain on during defrost cycles)				
Height 96 Inches	2-71			
Lighting Metal Halide/High Pressure Sodium 112,500 lux		\$22.68	\$23.81	\$25.00
Temp -10 to 45°C Lights off		•		
-5 to 45°C Lights on				
Control ± 0.5°C				
Dual Evaporator				
(lights and fans remain on during defrost cycles)				

Model PGV36	2-53				
Height 80 Inches	2-54				
Lighting Fluorescent 77,500 lux	2-55		\$18.90	\$19.85	\$20.84
RH 85% Lights on	2-87		ψισισσ	<b>\$10.00</b>	Ψ2010-1
95% Lights off to 30°C	201				
Control ± 3%					
Control ± 3%					
Tames 4 (a. 4500 Links att					
Temp 4 to 45°C Lights off					
10 to 45°C Lights on					
Control ±0.5°C					
A 00//*					
Area 36ft*					
Lighting M10 Fluorescent (Extra Lamps) 107,000 Lux	2-47				
Chemical Drier Dehumidification	2-47 2-48		\$22.68	\$23.81	\$25.00
	2-46 2-50		ΨΖΖ.00	Ψ23.01	Ψ23.00
to obtain humidity as low as 25% @ 15°C	2-50				
Lighting Metal Halide/High Pressure Sodium 107,000 lux	2-56				
Lighting Wetar Hamae/High Flessure Souldin 107,000 lux	2-56 2-57		\$22.68	\$23.81	\$25.00
	2-37		Ψ22.00	Ψ25.01	Ψ25.00
Height 96 Inches	2-33				
Temp -10 to 45°C Lights off	2-34		\$22.68	\$23.81	\$25.00
-5 to 45°C Lights on	2-49				
Control ±0.5°C	2-86				
555. 25.5 5	_ 00			<u> </u>	
Model GR48	1-11	1-28			
Height 80 Inches	1-12	1-29			
Lighting Fluorescent 30,000 lux	1-13	1-30	\$16.15	\$16.96	\$17.81
RH Ambient	1-14	1-31			
	1-15	1-32			
	1-16	1-40			
Temp 10 to 30°C Lights off	1-17	1-41			
15 to 35°C Lights on	1-18	1-42			
Control ±0.5°C	1-19	1-43			
3011d 01 20.0 0	1-19	1-43			
A 404/2					
<b>Area</b> 48ft <sup>2</sup>	1-21	1-45			
	1-22	1-46			
	1-25	1-47			
	1-26	1-48			
	1-27	1-49			
				-	
	4 ==	2-32	640.45	640.00	647.64
Height 96 Inches	1-52	1-54	\$16.15	\$16.96	\$17.81
Height 96 Inches Lighting Metal Halide/High Pressure Sodium 50,000 lux	1-52 1-53		\$16.15	\$16.96	\$17.81
		1-54	\$16.15	\$16.96	\$17.81
Lighting Metal Halide/High Pressure Sodium 50,000 lux	1-53	1-54 1-55	\$16.15	\$16.96	\$17.81
Lighting Metal Halide/High Pressure Sodium 50,000 lux  Model GR118	1-53	1-54 1-55 1-08	\$16.15	\$16.96	\$17.81
Lighting Metal Halide/High Pressure Sodium 50,000 lux  Model GR118  Height 80 Inches Area 118ft2	1-53 1-01 1-02	1-54 1-55 1-08 1-09			
Lighting Metal Halide/High Pressure Sodium 50,000 lux  Model GR118  Height 80 Inches Area 118ft2 Lighting Fluorescent 30,000 lux	1-53 1-01 1-02 1-03	1-54 1-55 1-08	\$16.15 \$25.21	\$16.96 \$26.47	\$17.81 \$27.79
Lighting Metal Halide/High Pressure Sodium 50,000 lux  Model GR118  Height 80 Inches Area 118ft2 Lighting Fluorescent 30,000 lux RH Ambient	1-53 1-01 1-02 1-03 1-04	1-54 1-55 1-08 1-09			
Model GR118  Height 80 Inches Area 118ft2 Lighting Fluorescent 30,000 lux  RH Ambient Temp 10 to 30°C Lights off	1-53 1-01 1-02 1-03 1-04 1-05	1-54 1-55 1-08 1-09			
Lighting Metal Halide/High Pressure Sodium 50,000 lux  Model GR118  Height 80 Inches Area 118ft2 Lighting Fluorescent 30,000 lux RH Ambient	1-53 1-01 1-02 1-03 1-04	1-54 1-55 1-08 1-09			

	1-33	2-46			
Model GR178 Height 80 Inches	1-34	2-88			
Lighting Fluorescent 30,000 lux	1-35	2-89	\$35.31	\$37.08	\$38.93
			စုသသ.သ ၊	<b>\$37.00</b>	<b>\$30.93</b>
RH Ambient	1-36	2-90			
	1-37				
Temp 10 to 30°C Lights off	1-38				
15 to 35°C Lights on	2-37				
Control ± 0.5°C	2-38				
	2-39				
Area 178ft <sup>2</sup>	2-43				
	2-44				
	2-45				
Model Freezers C1012	2-58				
Height 8ft 6 inches	2-59				
Lighting Fluorescent 700lux @ 20°C Manual	2-60		\$15.13	\$15.89	\$16.68
RH 10 to 85% @ 25°C (Dry Steam Humidifier)	2-61		Ţ.JV	Ţ.J. <b>J</b>	÷ . 5.30
Control ± 0.5%	201				
Chemical Drier Dehumidifier					
- 404 0000					
Temp -40 to 25°C					
Control ± 0.5°C					
Area 10m <sup>2</sup>					
				<b> </b>	
Model C809	1-59				
[				<b>l</b> .	
Lighting Fluorescent/Incandescent			\$15.13	\$15.89	\$16.68
RH Ambient					
Temp -5 to 30°C					
Model G1000	4-01			<b>.</b>	
Model G1000					
	4-02		\$6.31	\$6 63	\$6 <b>9</b> 6
Lighting Fluorescent	4-02 4-03		\$6.31	\$6.63	\$6.96
	4-02 4-03 4-04		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)	4-02 4-03 4-04 4-05		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off	4-02 4-03 4-04 4-05 4-06		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on	4-02 4-03 4-04 4-05 4-06 4-07		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off	4-02 4-03 4-04 4-05 4-06		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on	4-02 4-03 4-04 4-05 4-06 4-07		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on	4-02 4-03 4-04 4-05 4-06 4-07 4-08		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft <sup>2</sup>	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft <sup>2</sup> Model BDW160	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31	\$6.63	\$6.96
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft <sup>2</sup> Model BDW160	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09		\$6.31 \$67.12	\$6.63 \$70.48	\$6.96 \$74.00
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium RH Ambient	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium RH Ambient  Temp 10 to 30°C Lights off	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium RH Ambient  Temp 10 to 30°C Lights off 15 to 35°C Lights on	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				
Lighting Fluorescent RH 55% ~ 85% (@ 15 ~ 45°C)  Temp 0 to 50°C Lamp off 10 to 50°C Lamp on Control ± 0.3°C  Area 2.74ft²  Model BDW160  Lighting Metal Halide/High Pressure Sodium RH Ambient  Temp 10 to 30°C Lights off	4-02 4-03 4-04 4-05 4-06 4-07 4-08 4-09 4-10				

Model BDW80	1-60			
Lighting Metal Halide/High Pressure Sodium	2-31			
RH Ambient		\$33.56	\$35.24	\$37.00
Temp 10 to 30°C Lights off				
15 to 35°C Lights on				
Control ±0.5°C				
Area 80ft <sup>2</sup>				
Alea oon				
Alea ooit				
	1 1 22			
Model GR48 New HID	1-23			
Model GR48 New HID  Lighting Metal Halide/High Pressure Sodium	1-23	204.00		****
Model GR48 New HID	1-23	\$21.98	\$23.08	\$24.23
Model GR48 New HID  Lighting Metal Halide/High Pressure Sodium  RH Ambient	1-23	\$21.98	\$23.08	\$24.23
Model GR48 New HID  Lighting Metal Halide/High Pressure Sodium RH Ambient  Temp 10 to 30°C Lights off	1-23	\$21.98	\$23.08	\$24.23
Model GR48 New HID  Lighting Metal Halide/High Pressure Sodium  RH Ambient	1-23	\$21.98	\$23.08	\$24.23